# Chief Architect®

Architectural Home Design Software

## Locking Walls

Reference Number: **KB-00670** Last Modified: **July 16, 2021** 

The information in this article applies to:



### QUESTION

I would like to lock one single wall in my plan so that it cannot be moved, but not affect any other walls in doing so. How can I accomplish this task?

### ANSWER

A single wall can be quickly and easily locked by assigning it to a unique layer, and then locking that layer.

#### To lock an individual wall

- 1. **Open** a drawing in which you would like to lock a single wall.
- 2. Using the **Select Objects** tool, click on a wall you'd like to lock to select it and then click the **Open Object** edit button.
- 3. On the LAYER panel of the Wall Specification dialog that displays, take note of the

layer name listed here, then click the **Define** button to open the **Layer Display Options** dialog.

Carrant	laver		
General			
Structure	✓ Default	Walls, Normal	Define
Koot			5
Foundation	Drawing Group		
Wall Types	Default: 26	5 - Wall	÷
Wall Cap	Derbuic 20	o www.	
Wall Covering			
Rail Style			
Newels/Balusters			
Rails			
Layer			
Materials			
Label			
Components			
Components			

4. The "Walls, Normal" layer is the default layer for walls. Click the **Copy** button to copy the layer, then click once on the newly copied layer to specify a new name.

Layer Display Options									×
Layer Sets									
Working Layer Set	▼ Co	py Set	[	Mod	lify All La	ayer Sets			
Departies for Colored Laws Cat									
None Filter									
Name Filter:									
Name	Used	Disp	Mat	Lock	Color	Weight	Line Style	Text Style	^
Walls, Foundation	e e	$\checkmark$	Μ			35		Default Te	
Walls, Invisible	ę	$\checkmark$	Μ			18		Default Te	
Walls, No Locate	S	$\checkmark$	Μ			18		Default Te	
Walls, Normal		$\checkmark$	M			35		Default Te	
Walls, Railings 😾	铅	$\checkmark$	Μ			18		Default Te	
Walls, Hatching	S		Μ			10		Default Te	
Walls, Labels	+		Μ			25		Default La	
Walls, Layers	+	$\checkmark$	M			10		Default Te	Y
Select All New Copy Properties for Selected Layer - "Walls, Normal"	List	Delete	a. [	Reset I	Names				
Color:									
Line Weight: 35									
Line Style:			- •	L	ibrary				
Text Style: Default Text Style			•		efine				
					0	к	Cancel	Help	

In this example, "Walls, Locked" was specified as the name for the new layer.

5. Next, click one time in the **Lock** column for the newly created layer, or check the**Lock** checkbox to lock this layer.

Layer Display Options									×
Layer Sets									
Working Layer Set	▼ Co	py Set	[	Mod	ify All La	ayer Sets			
Properties for Selected Laver Set									
Name Filter:									
		_							
Name	Used	Disp	Mat	Lock	Color	Weight	Line Style	Text Style	1
Walls, Foundation	U.	~	M			35		Default Te	
Walls, Invisible	Y	$\checkmark$	Μ			18		Default Te	
Walls, No Locate	S	$\checkmark$	Μ	-		18		Default Te	
Walls, Locked		$\checkmark$	Μ	(i)		35		Default Te	
Walls, Railings	면	$\checkmark$	Μ			18		Default Te	
Walls, Hatching	S		Μ			10	a	Default Te	
Walls, Labels			Μ			25		Default La	
Walls, Layers	- +	1	Μ			10		Default Te	Y
Select All New Cop	y (	Delete		Reset I	Vames				
Display Mate	erials List 🗹	Lock							
Color:	l	2							
Line Weight: 35									
Line Style:			- •	L	ibrary				
Text Style: Default Text Style					efine				

Locked layers are indicated by a padlock **a** symbol in the Lock column.

- 6. Click **OK** to close the dialog and return to the LAYER panel of the **Wall Specification** dialog. The selected wall is now on the "Walls, Locked" layer.
  - If it is not on the "Walls, Locked" layer, click the drop-down menu and select "Walls, Locked" from the list.
  - Click the **OK** button to close the dialog and return to floor plan view.
- 7. In floor plan view, the wall's appearance will be unchanged, but you can no longer select, move, or alter the wall.

There are still some cases, such as adjusting the wall type's definition or adjusting the placement of a connected perpendicular wall, where a wall on a locked layer could be moved, so you should always verify your wall dimensions are accurate in your final plan.

- 8. To make changes to the wall, you will first need to unlock the layer it is on:
  - Select Tools> Layer Settings> Display Options to open the Layer Display
    Options dialog.
  - Remove the padlock from the **Lock** column for "Walls, Locked" or uncheck the **Lock** checkbox.
  - Click **OK** to close the dialog. The wall and any other objects on this layer are now unlocked and can be edited as needed.

**Related Articles** 

Toggling the Display of Wall Layers on and off (/support/article/KB-00034/toggling-thedisplay-of-wall-layers-on-and-off.html)



Privacy Policy (/company/privacy.html)