Creating a Wrapped Opening


Reference Number: **KB-00507**Last Modified: **July 19, 2021**

The information in this article applies to:



QUESTION

I would like to create a wrapped opening, or doorway, in my plan. How can I accomplish this task?




ANSWER

You can create a wrapped opening by placing a doorway and modifying it.

To modify a doorway

- 1. Select **Build> Door> Doorway** and click in the wall in which you want to place it.
- 2. Once placed, use the **Select Objects** tool to select the doorway, and click on the **Open Object** edit button.
- 3. On the Casing panel of the **Door Specification** dialog that opens, remove the check next to the **Use Interior Casing** box, then click **OK**.



4. If room molding is specified on either side of the doorway, create a **Camera** view to notice that the molding wraps around the interior of the doorway opening.

Note: Wrapped openings of various shapes are also available in the Library Browser by navigating to the Doors & Doorways folder within the Chief Architect Core Catalogs.

Related Articles

- **d** Controlling Door and Window Framing (/support/article/KB-00985/controlling-door-and-window-framing.html)
- Creating a Custom Door (/support/article/KB-01808/creating-a-custom-door.html)



(https://chieftalk.chiefarchitect.com/)

(/blog/)



(https://www.facebook.com/ChiefArchitect)



(https://www.youtube.com/user/ChiefArchitectInc)



(https://www.instagram.com/chiefarchitectsoftware/



(https://www.houzz.com/pro/chiefarchitect/)



(https://www.pinterest.com/chiefarchitect/)

208-292-3400 (tel:+1-208-292-3400)

© 2000–2021 Chief Architect, Inc.

Terms of Use (/company/terms.html)