

Offsetting Railings, Rails, and Newel Posts

Reference Number: **KB-03194**

Last Modified: **March 21, 2025**

This article also applies to the following legacy products:
Pro

QUESTION

How can I offset my railings, rails, or newel posts from the floor platform they are associated with?



ANSWER



The entirety of a railing, which consists of balusters, newel posts, and rails, can be

offset using the Horizontal Offset setting located on the Rail Style panel of the Railing and Deck Railing Specification.


Individual rails, newel posts, and start and end posts, can also be offset independently by accessing their respective panels within the Railing and Deck Railing Specification.

- [Offsetting an entire railing](#)
- [Offsetting individual rails](#)
- [Offsetting newel posts](#)
- [Offsetting start and end posts](#)



To offset an entire railing

1. Using the **Select Objects**  tool, click on the railing or staircase that you want to offset, then click the **Open Object**  edit tool.
2. On the **RAIL STYLE** or **RAILING** panel of the dialog that displays, specify either a positive or negative value in the **Horizontal Offset** field, then click **OK**.

Note: A positive value offsets the railings in the direction of their interior surface, while a negative value offsets them outward. Room definition is not affected by this offset so you can offset a railing relative to the floor platform edge it defines.



To offset individual rails


1. Using the **Select Objects**  tool, click on the railing or staircase that you want to offset the individual rails for, then click the **Open Object**  edit tool.
2. On the **RAILS** panel of the dialog that displays, notice that **Horizontal** and **Vertical Offset** columns are available for each rail within the Rail Profiles table.

Note: The Horizontal Offset column allows you to move a rail inwards or outwards from its default position.



The Vertical Offset column allows you to move a rail to be higher or lower than its default position.

3. Double-click in the desired cell to change to open the field for editing, enter in your desired value, then click **OK**.

Note: A positive value offsets the railings in the direction of their interior surface, while a negative value offsets them outward.



To offset newel posts

1. Using the **Select Objects**  tool, click on the railing or staircase that you want to offset the newel posts for, then click the **Open Object**  edit tool.
2. On the **NEWELS/BALUSTERS** panel of the dialog that displays, under the Newels/Posts section, specify either a positive or negative value in the **Horizontal** and/or **Bottom Offset** fields, then click **OK**.

Note: The Horizontal Offset is the amount each newel is offset from the center of the railing. You can, for example, use this setting to create a fence with the posts on one side of the fence boards.

- A positive value offsets the newels/posts towards the interior; a negative value, towards the exterior.

- When this value is negative and Full Posts are specified for the start/end posts of a railing, a newel is created on each side of an exterior corner rather than one centered on the corner.

The Bottom Offset is the amount each newel is raised or lowered. When this value is 0, the newels' bottom edges are positioned on the surface of the floor finish.

Individual newel posts can also be adjusted manually using the Move Newels edit tool. To learn more, please see the [Related Articles](#) section below.


Railing Specification

General
Structure
Roof
Foundation
Wall Types
Wall Cap
Wall Covering
Rail Style
Newels/Balusters
Rails
Layer
Materials
Label
Components
Object Information
Schedule

Railing
Height: 36"

Newels/Posts
Width: 2" Use Wall Width
Height: 36"
Horizontal Offset: 6"
Bottom Offset: 0"
Spacing Method: Automatic
Max Spacing: 96" On Center
Type: Square

To offset start and end posts

1. Using the **Select Objects**  tool, click on the railing that you want to offset the start and end posts for, then click the **Open Object**  edit tool.

2. On the **RAIL STYLE** panel of the dialog that displays, under the Start/End Posts section, specify a positive value in the **Start** and **End Wall Offset** fields, which are the distances between the railing's half posts and the intersecting wall, then click **OK**.

A **Uniform Offsets** box is available, which applies the same offset to both ends of the railing.

Railing Specification

General
Structure
Roof
Foundation
Wall Types
Wall Cap
Wall Covering
Rail Style
Newels/Balusters
Rails
Layer
Materials
Label
Components
Object Information
Schedule

Specify Railing

Balusters Open with Middle Rail
 Solid Panels
 Open

Horizontal Offset:

Newels/Posts

Post to Rail
 Post to Beam
 Post to Ceiling
 Rail to Post

Start/End Posts

Start Type: End Type:

Start Wall Offset: End Wall Offset: Uniform Offsets

Square Half Post

[Return To Top](#)

Related Articles

- [Creating Custom Balusters and Railing Panels \(/support/article/KB-02893/creating-custom-balusters-and-railing-panels.html\)](/support/article/KB-02893/creating-custom-balusters-and-railing-panels.html)
- [Manually Adding Railings to a Staircase \(/support/article/KB-00082/manually-adding-railings-to-a-staircase.html\)](/support/article/KB-00082/manually-adding-railings-to-a-staircase.html)
- [Manually Adjusting Newel Posts \(/support/article/KB-03195/manually-adjusting-newel-posts.html\)](/support/article/KB-03195/manually-adjusting-newel-posts.html)
- [Positioning a Railing Directly Above Another on a Tiered Deck \(/support/article/KB-00833/positioning-a-railing-directly-above-another-on-a-tiered-deck.html\)](/support/article/KB-00833/positioning-a-railing-directly-above-another-on-a-tiered-deck.html)
- [Specifying Glass, Cable, or Decorative Railing Panels \(/support/article/KB-01029/specifying-glass-cable-or-decorative-railing-panels.html\)](/support/article/KB-01029/specifying-glass-cable-or-decorative-railing-panels.html)



[\(https://chieftalk.chiefarchitect.com/\)](https://chieftalk.chiefarchitect.com/)

 [\(/blog/\)](https://chieftalk.chiefarchitect.com/blog/)



[\(/https://www.facebook.com/ChiefArchitect\)](https://www.facebook.com/ChiefArchitect)



[\(/https://www.youtube.com/user/ChiefArchitectInc\)](https://www.youtube.com/user/ChiefArchitectInc)



[\(/https://www.instagram.com/chiefarchitect/\)](https://www.instagram.com/chiefarchitect/)



[\(/https://www.houzz.com/pro/chiefarchitect/\)](https://www.houzz.com/pro/chiefarchitect/)



[\(/https://www.pinterest.com/chiefarchitect/\)](https://www.pinterest.com/chiefarchitect/)